

Triangle Agency tech rider: PSYK – DJ

(* Artist equipment)



Table

DJ – Tech rider

- 1 x Pioneer DJM800 Mixer.
- 3 x Pioneer CDJ2000nexus

ADDITIONAL INFORMATION ON
THE SECOND PAGE.

Triangle Agency tech rider: PSYK – DJ

DJ – Tech Rider

- 1 x Pioneer DJM800 Mixer.
 - 3 x Pioneer CDJ2000nexus (or CDJ2000) player linked with LAN cable. (the LAN cable connection must be securely fixed and free of any technical problems). Placed on 2 elevated supports and positioned as shown.
 - The DJ set up has to be placed on a suitable table at the correct height, free from subwoofer vibration and it must be suitably protected from dancing people that could cause needle jumps and/or drinks near the equipment.
 - 2 x High quality monitor speakers placed left and right to the artist at head height.
 - There should be no object between the artist's ears and the monitors that obstruct the sound quality.
 - Artist must be able to control the booth monitor volume from the DJ mixer and should have enough headroom on the monitor volume control to avoid distortion.
 - In addition to the monitor speakers a separate subwoofer is required. This subwoofer needs to be placed under the DJ set up or behind the artist.
 - The monitoring system MUST be free from any delay, feedback and/or distortion.
 - If needed a sound technician must be on hand to adjust the monitoring EQ on request of the artist.
 - Consumer equipment such as HK Audio, Nexo, JBL or anything of similar standard are NOT expectable as suitable monitoring speakers.
- Sound check is required no later than 2 hrs BEFORE the club opens always with a technician to make sure everything is to the artist's requirements

IMPORTANT - THE ARTIST CANNOT PERFORM IF THE ABOVE STANDARDS ARE NOT MET

HOTEL ACCOMMODATIONS

Must Have 4* or 5• :

- Non Smoker Room
- Late checkout time no earlier than three (3) hours before the airline departure time
- Breakfast incl. Free Wifi access on the artist room (paid by the contract partner)
- Room with dark curtains and not next to the elevator